

SB30IP

18.5W PAR30 LED WITH DIMMER

MANUFACTURED IN THE UNITED STATES - IBEW



PRODUCT LISTED
BY A NATIONALLY
RECOGNIZED
TESTING
LABORATORY



The SB30IP LED track head is ideal for museums, galleries, and retail applications where individual fixture control is needed. Each unit is equipped with its own internal dimmer that is easily accessible, allowing designers the ability to adjust the light levels of each fixture. The SB30IP is also equipped with an internal self-locking yoke and accessory holder that accepts louvers, barndoors, hoods and filters.

By utilizing Soraa's Snap System, there are nearly unlimited possibilities for customizing beam spreads and color filters. Options include the ability to field change the beam angle (Beam Spreader Snap), alter color temperature (CTO Snap), or to add a louver.

Color Snaps can be used to produce brilliant hues of any color that Rosco or Lee offer. Standard finishes are black, white and silver. Custom colors are available by request and at an additional charge.

FEATURES

- Numerous mounting options and accessories
- Weight: 1.7 lbs.

LAMP TYPE	WATTS	CRI	LUMENS*
Brilliant	18.5	90 (R9 = 0)	1280
Vivid	18.5	95 (R9 = 95)	1000


* Lumens vary depending on color temperature – results for 3000K lamp used above.

LED SPECIFICATIONS

- 9° SORAA lamp included - use snaps to change the beam angle.
- Color temperature options: 2700K, 3000K
- CRI: 90 or 95
- No UV or IR

DIMMING

- Internal Dimmer included.



COLOR SNAP LENSES



SNAP LENSES


SB30IP

18.5W PAR30 LED WITH DIMMER

MANUFACTURED IN THE UNITED STATES - IBEW




PRODUCT LISTED
BY A NATIONALLY
RECOGNIZED
TESTING
LABORATORY




9° Degree Beam

Distance	Beam Spread	Footcandles
3'	0.8'	2036
6'	1.7'	592
9'	2.5'	284
12'	3.4'	166
15'	4.2'	95




With 24° Degree Snap

Distance	Beam Spread	Footcandles
3'	2.2'	593
6'	4.4'	173
9'	6.6'	83
12'	8.7'	48
15'	10.9'	28




With 36° Degree Snap

Distance	Beam Spread	Footcandles
3'	3.5'	275
6'	6.9'	80
9'	10.4'	38
12'	13.9'	22
15'	17.3'	13



With 60° Degree Snap

Distance	Beam Spread	Footcandles
3'	6'	120
6'	12'	35
9'	18'	17
12'	24'	10
15'	30'	5



SB30IP

18.5W PAR30 LED WITH DIMMER

MANUFACTURED IN THE UNITED STATES - IBEW



PRODUCT LISTED
BY A NATIONALLY
RECOGNIZED
TESTING
LABORATORY

MOUNTING OPTIONS

N13 Track adapter for commercial grade 210 V
1-circuit track.

N8 Track adapter for specification grade 120V
2-circuit track.

COLOR SNAPS

Specify Roscolux Number's

02185-C	Clear
01145-C	25° Color Snap
01147-C	36° Color Snap
01149-C	60° Color Snap

FINISH

B	Black
W	White
S	Silver
CC	Custom Color

ACCESSORIES

LV6	Louver
XL6	Cross Baffle Louver
BD10	Barndoor
HD6	Hood
XH6	Cross Baffle Hood
CF10	Color Frame
FX10	Color Filter

SNAP ACCESSORIES

01145	25° Beam Spreader Snap
01147	36° Beam Spreader Snap
01149	60° Beam Spreader Snap
01595	10°-36° Linear Snap
03261	10°-60° Linear Snap
01597	36°X36° Flat Top Snap
01151	40° Cutoff Louver
03257	20° Maximum Deflection Snap
01153	¼ Color Temperature Shift Snap
01155	½ Color Temperature Shift Snap
01157	¾ Color Temperature Shift Snap
03283	Enhance Snap

SPECIFY:

MODEL	CRI	COLOR TEMPERATURE
SB30IP	90 95	27 = 2700K 30 = 3000K
FINISH	MOUNTING OPTIONS	ACCESSORIES
B = Black W = White S = Silver CC = Custom Color	See Mounting Options for Ordering Codes	See Accessory Options for Ordering Codes

* All fixtures are sold with 9° beam angle lamps - use beam spreaders to achieve desired angle.

ORDERING INFORMATION

PROJECT:	
LOCATION:	
QUANTITY:	
CONTACT:	
PHONE:	
EMAIL:	

EXAMPLE: SB30IP-95-27-B-N13-01145

MODEL	LUMENS	CRI	COLOR TEMPERATURE	FINISH	VOLTAGE
SB30IP					